

SAFETY DATA SHEET

DESOLVTM

Mini-split evaporator coil and blower fan cleaner

Section 1 - Product and Company Information

Product Name Desolv™ Coil Cleaner

Product Codes 82560, 82561, 82565

Chemical Family Organic/Inorganic

Use

Coil cleaner

Manufacturer's Name RectorSeal Australia Pty Ltd Level 1, 91 Landsborough Avenue Scarborough 4020, Australia www. rectorseal.com.au

Date of Validation October 29, 2018

Date of Preparation October 29, 2018 HMIS Codes

- Health 2 Flammability 0
 - Reactivity
 - tivity 0 PPI B

Emergency Telephone No. Chemtrec 24 Hours International+1-703-741-5970 WithinAustralia+(61)-290372994

Telephone No. (07) 3267-7277

SECTION 2 - HAZARDS IDENTIFICATION

GHS CLASSIFICATION

Physical Hazards None

Health Hazards

Acute Toxicity Oral: Not Classified Dermal: Not Classified Inhalation: Not Classified Skin Corrosion/Irritation: Not Classified Serious Eye Damage/Eye Irritation: Not Classified Respiratory or Skin Sensitization: Not Classified Germ Cell Mutagenicity: Not Classified Carcinogenicity: Not Classified Reproductive Toxicology: Not Classified

DESOLVTM

Target Organ Systemic Toxicity - Single Exposure: Not Classified Target Organ Systemic Toxicity - Repeated Exposure: Not Classified Aspiration Toxicity: Not Classified

ENVIRONMENTAL HAZARDS

Hazardous to the Aquatic Environment: Not Classified Acute aquatic toxicity: Not Classified Chronic aquatic toxicity: Not Classified Bioaccumulation potential: Not Classified Rapid degradability: Not Classified

GHS Label elements, including precautionary statements



GHS04: Compressed Gas Cylinder GHS07: Harmful/Irritant Exclamation Mark Signal Word: **Warning**

Hazard Statements

H303 - May be harmful if swallowed.

H313 - May be harmful in contact with skin.

H335 + H336 - May cause respiratory irritation, and drowsiness or dizziness.

Precautionary Statements

P102 - Keep out of reach of children.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P262 - Do not get in eyes, on skin, or on clothing.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P362 - Take off contaminated clothing and wash before reuse.

EUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary Statements - EU No. 1272/2008

Summary Of Acute Hazards

Irritation to eyes, nose, and throat; drowsiness, narcosis, tremors, and other CNS effects at high concentrations. Skin irritation, dermatitis, and defatting.

Route Of Exposure, Signs And Symptoms

INHALATION

Nasal and respiratory irritation, dizziness, narcosis, headache, nausea, CNS depression, and unconsciousness.

EYE CONTACT

Watering, blurred vision, inflammation, and irritation which can result in corneal injury.

SKIN CONTACT

Irritation, dermatitis.

INGESTION

Nausea, vomiting; CNS depression; irritation of gastrointestinal tract, liver and peritoneal wall; lung congestion.

SUMMARY OF CHRONIC HAZARDS

Skin irritation, contact dermatitis, and defatting.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

Individuals with pre-existing or chronic diseases of the eyes, skin, respiratory system, cardiovascular system, gastrointestinal system, liver, or kidneys may have increased susceptibility to excessive exposure.

Ingredient:	Di(ethylene glycol) hexyl ether
Percentage By Weight:	1-5
CAS Number:	112-59-4
EC#:	203-988-3

Section 4 - First Aid Measures

If inhaled:	If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Obtain emergency medical attention. Prompt action is essential.
If on skin:	Immediately wash with soap and water. Remove and wash any contaminated clothing.
If in eyes:	Flush with large amounts of water for 15 minutes. Get medical attention if irritation persists.
If swallowed:	If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

Section 5 - Fire Fighting Measures

Extinguishing Media

Use extinguishing agents appropriate for surrounding fires.

Unusual Fire And Explosion Hazards: Aerosol cans are under pressure – exposure to temperatures above 120°F (48°C) can cause bursting or "rocketing" of cans.

Section 6 - Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Remove all sources of ignition. Use absorbent materials to prevent footing hazard and to contain. Ventilate area with natural or explosion-proof, forced air ventilation. Avoid flushing into sewers, drains, waterways, and soil. Wear protective clothing and respiratory protection during cleanup.

Section 7 - Handling and Storage

Precautions To Be Taken In Handling And Storing: Shake well before using. Keep away from heat, sparks and open flames. Prolonged exposure to direct sunshine or storage above 120°F (48°C) may cause can to burst. Do not puncture or incinerate can.

Other Precautions: Avoid prolonged or repeated contact with skin or clothing. Empty containers may contain residues; treat as if full and observe all products precautions.

KEEP OUT OF REACH OF CHILDREN.

Section 8 – Exposure Controls/Personal Protection

Respiratory Protection (Specify Type): In confined, poorly ventilated areas, use NIOSH/MSHA approved air purifying or supplied air respirators.

Ventilation – Local Exhaust: Acceptable

Special: None.

Mechanical (General): Acceptable

Other: N/A

Protective Gloves: Wear rubber gloves.

Eye Protection: Safety glasses (ANSI Z-87.1 or equivalent)

Other Protective Clothing Or Equipment: Chemical resistant coveralls recommended.

Work/Hygienic Practices: Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking, or leaving work area. Launder contaminated clothing before reuse.

Section 9 - Physical and Chemical Properties

Boiling point: Specific gravity (H20 = 1):	212°F (100°C) @ 760mm Hg 0.99
Vapor pressure (mmHg):	17 @ 68°F (20°C)
Melting point:	N/A
Vapor Density (Air = 1):	< 1
Evaporation rate (Ethyl Acetate = 1):	> 1
Appearance/Odor:	Clear liquid/Mild odor
Solubility in water:	Soluble
Flash point:	None SETA CC
Lower explosion limit:	N/D
Upper explosion limit:	N/D
Aerosol Flame Extension:	Negative
NFPA Aerosol Level:	1

SECTION 10 - STABILITY AND REACTIVITY

Stability: Stable

Conditions To Avoid: Do not store in temperatures above 120°F (48°C.)

Incompatibility (Materials To Avoid): None known.

Hazardous Decomposition Products: None known.

Hazardous Polymerization: Will not occur.

SECTION 11 - TOXICOLOGY INFORMATION

Chronic Health Hazards

No ingredient in this product is an IARC, NTP or OSHA Lister carcinogen.

Toxicology Data

Ingredient Name

Di(ethylene glycol) hexyl ether

Oral-Rat LD50: 2400 mg/kg Inhalation-Rat: No Data

Section 12 - Ecological Information

Ecological Data

Ingredient Name:Di(ethylene glycol) hexyl etherFood Chain Concentration PotentialN/DWaterfowl ToxicityN/DBODN/DAquatic ToxicityN/D

Section 13 - Disposal Considerations

Waste Classification: Non-regulated liquid waste.

Disposal Method: Dispose of all liquid waste in accordance with local, state and federal regulations.

	SECTION 14	- Transportation Information	
DOT: Ocean (IMDG): Air (IATA):	Consumer Commodity, ORM-D UN1950, Aerosols, 2, Ltd Qty or Limited Quantity, EmS No. F-D, S-U UN1950, Aerosols, 2.2, ERG#126		
Section 15 – Regulatory Information			
Regulatory Data			
	Ingredient Name:	Di(ethylene glycol) hexyl ether	
	SARA 313	Yes	
	TSCA Inventory	Yes	
	CERCLA RQ	N/A	
	RCRA Code	N/A	

Section 16 - Other Information

This document is prepared pursuant to the Model Code of Practice: Preparation of safety data sheets for hazardous chemicals, Publication date 25 May 2018 (Safe Work Australia). The information herein is given in good faith, but no warranty, expressed or implied is made.